



Food and Agriculture
Organization of the
United Nations

September 21, 2023

Somalia 2023 Post Gu Acute Malnutrition Median Prevalence by District (Estimated)



FSNAU
Food Security and Nutrition
Analysis Unit - Somalia

Region	District	Severe Acute Malnutrition (SAM)	Moderate Acute Malnutrition (MAM)	Global Acute Malnutrition (GAM)	IPC AMN Classification	LEGEND:		
						IPC AMN Phase	GAM (%)	
Awdal	Borama	2.3%	10.4%	12.6%	Serious			
Awdal	Baki	3.4%	12.3%	15.7%	Critical			
Awdal	Lughaye	1.2%	8.5%	9.7%	Alert	Acceptable	Phase 1	<5%
Awdal	Zeylac	1.1%	8.0%	9.1%	Alert	Alert	Phase 2	5-9.9%
Woqooyi Galbeed	Hargeysa	1.8%	10.6%	12.4%	Serious	Serious	Phase 3	10-14.9%
Woqooyi Galbeed	Berbera	2.8%	10.8%	13.6%	Serious	Critical	Phase 4	15-29.9%
Woqooyi Galbeed	Gebiley	1.8%	10.4%	12.1%	Serious	Extremely Critical	Phase 5	≥30%
Togdheer	Burco	0.8%	9.7%	10.4%	Serious			
Togdheer	Buuhoodle	0.7%	9.5%	10.2%	Serious			
Togdheer	Owdweyne	0.9%	10.2%	11.1%	Serious			
Togdheer	Sheikh	3.8%	13.0%	16.8%	Critical			
Sool	Laas Caanood	1.1%	11.0%	12.2%	Serious			
Sool	Caynabo	1.5%	11.2%	12.7%	Serious			
Sool	Taleex	1.7%	11.8%	13.5%	Serious			
Sool	Xudun	1.5%	10.9%	12.5%	Serious			
Sanaag	Ceerigaabo	1.5%	9.4%	10.9%	Serious			
Sanaag	Ceel Afweyn	1.9%	10.7%	12.6%	Serious			
Sanaag	Laasqoray/Badhan	1.8%	11.2%	12.9%	Serious			
Bari	Bossaso	2.5%	11.0%	13.6%	Serious			
Bari	Bandarbayla	1.2%	8.0%	9.2%	Alert			
Bari	Caluula	2.5%	10.6%	13.1%	Serious			
Bari	Iskushuban	1.6%	8.8%	10.4%	Serious			
Bari	Qandala	2.2%	9.9%	12.0%	Serious			
Bari	Qardho	1.7%	9.2%	10.8%	Serious			
Nugaal	Garowe	1.3%	9.2%	10.5%	Serious			
Nugaal	Burtinle	1.3%	11.6%	12.8%	Serious			



**Food and Agriculture
Organization of the
United Nations**

September 21, 2023

Somalia 2023 Post Gu Acute Malnutrition Median Prevalence by District (Estimated)



FSNAU
Food Security and Nutrition
Analysis Unit - Somalia

Region	District	Severe Acute Malnutrition (SAM)	Moderate Acute Malnutrition (MAM)	Global Acute Malnutrition (GAM)	IPC AMN Classification	IPC AMN Phase	Phase 1	GAM (%)
Nugaal	Eyl	0.9%	8.9%	9.8%	Alert	LEGEND:		
Mudug	Gaalkacyo	1.5%	13.6%	15.2%	Critical			
Mudug	Galdogob	1.6%	13.5%	15.1%	Critical	Acceptable	Phase 1	<5%
Mudug	Hobyo	0.9%	11.0%	12.0%	Serious	Alert	Phase 2	5-9.9%
Mudug	Jariiban	0.9%	12.1%	13.0%	Serious	Serious	Phase 3	10-14.9%
Mudug	Xarardheere	1.2%	11.1%	12.3%	Serious	Critical	Phase 4	15-29.9%
Galgaduud	Dhuusamarreeb	1.3%	12.4%	13.6%	Serious	Extremely Critical	Phase 5	≥30%
Galgaduud	Cabudwaaq	1.3%	12.6%	13.9%	Serious			
Galgaduud	Cadaado	1.2%	12.3%	13.4%	Serious			
Galgaduud	Ceel Buur	1.3%	12.1%	13.4%	Serious			
Galgaduud	Ceel Dheer	1.4%	11.2%	12.6%	Serious			
Hiraan	Belet Weyne	3.6%	14.7%	18.3%	Critical			
Hiraan	Bulo Burto	2.6%	13.9%	16.5%	Critical			
Hiraan	Jalalaqsi	2.7%	13.9%	16.6%	Critical			
Middle Shabelle	Jowhar	3.6%	14.7%	18.3%	Critical			
Middle Shabelle	Adan Yabaal	2.0%	11.2%	13.1%	Serious			
Middle Shabelle	Balcad	3.0%	13.7%	16.7%	Critical			
Middle Shabelle	Cadale	2.1%	11.5%	13.6%	Serious			
Lower Shabelle	Marka	3.7%	14.2%	17.9%	Critical			
Lower Shabelle	Afgooye	3.3%	14.6%	18.0%	Critical			
Lower Shabelle	Baraawe	3.6%	15.4%	19.0%	Critical			
Lower Shabelle	Kurtunwaarey	3.4%	13.7%	17.0%	Critical			
Lower Shabelle	Qoryooley	3.3%	13.7%	17.0%	Critical			
Lower Shabelle	Sablaale	3.5%	13.2%	16.7%	Critical			
Lower Shabelle	Wanla Weyn	3.0%	15.0%	18.0%	Critical			
Bay	Baydhaba/Bardaale	4.9%	14.2%	19.1%	Critical			



**Food and Agriculture
Organization of the
United Nations**

September 21, 2023

Somalia 2023 Post Gu Acute Malnutrition Median Prevalence by District (Estimated)



FSNAU
Food Security and Nutrition
Analysis Unit - Somalia

Region	District	Severe Acute Malnutrition (SAM)	Moderate Acute Malnutrition (MAM)	Global Acute Malnutrition (GAM)	IPC AMN Classification	IPC AMN Phase		GAM (%)
Bay	Buur Hakaba	3.6%	13.1%	16.7%	Critical	LEGEND: Acceptable (Green) Phase 1 (<5%) Alert (Yellow) Phase 2 (5-9.9%) Serious (Orange) Phase 3 (10-14.9%) Critical (Red) Phase 4 (15-29.9%) Extremely Critical (Dark Red) Phase 5 (≥30%)		
Bay	Diinsoor	3.7%	13.2%	16.9%	Critical			
Bay	Qansax Dheere	4.0%	13.5%	17.5%	Critical			
Bakool	Xudur	3.6%	13.1%	16.6%	Critical			
Bakool	Ceel Barde	2.5%	13.4%	15.9%	Critical			
Bakool	Tayeeglow	3.4%	12.9%	16.3%	Critical	Phase 4 (15-29.9%)	Phase 5 (≥30%)	>30%
Bakool	Waajid	4.0%	13.5%	17.5%	Critical			
Bakool	Rab Dhuure	3.1%	12.9%	16.0%	Critical			
Gedo	Garbahaarey	1.2%	9.4%	10.6%	Serious			
Gedo	Baardheere	2.0%	12.2%	14.2%	Serious	Phase 3 (10-14.9%)	Phase 4 (15-29.9%)	>30%
Gedo	Belet Xaawo	2.2%	13.9%	16.1%	Critical			
Gedo	Ceel Waaq	0.8%	8.8%	9.6%	Alert			
Gedo	Doolow	2.8%	15.0%	17.8%	Critical			
Gedo	Luuq	2.9%	15.5%	18.4%	Critical	Phase 2 (5-9.9%)	Phase 3 (10-14.9%)	>30%
Middle Juba	Bu'aale	3.2%	13.4%	16.6%	Critical			
Middle Juba	Jilib	3.4%	15.2%	18.6%	Critical			
Middle Juba	Saakow/Salagle	3.2%	14.9%	18.1%	Critical			
Lower Juba	Kismayo	2.9%	12.4%	15.3%	Critical	Phase 1 (<5%)	Phase 2 (5-9.9%)	>30%
Lower Juba	Afmadow/Xagar	3.0%	12.4%	15.4%	Critical			
Lower Juba	Badhaadhe	1.3%	9.3%	10.6%	Serious			
Lower Juba	Jamaame	2.2%	9.4%	11.6%	Serious			
Banadir	Banadir	4.2%	15.4%	19.6%	Critical	Phase 1 (<5%)	Phase 2 (5-9.9%)	>30%